

Table of Contents

Record of Revisions	3
Introduction	5
I. General Rules	6
A. Fitness for Competition	6
B. Airplane Eligibility	7
C. Team Eligibility	7
D. Contestant Eligibility	8
E. Registration and Event Entry Limitations	9
F. Communication with Contestants	10
G. Disciplinary Action	10
H. Exceptions	11
I. Judges	12
J. Scoring	13
II. SAFECON Standard Operating Procedures	18
A. Flight Operations	18
B. Ground Operations	21
III. Flight Event Judging Rules	23
A. CRM/LOFT	23
B. IFR Precision Flight	25
C. IFR Simulated Flight	29
D. Message Drop	31
E. Navigation	35
F. Power-Off Approach and Landing	40
G. Short-Field Approach and Landing	43

IV. Ground Event Judging Rules	46
A. Aircraft Preflight Inspection	46
B. Aircraft Recognition	48
C. Computer Accuracy	49
D. Ground Trainer	50
E. SCAN	52
V. Event Scoring Tables	54
A. Aircraft Preflight Inspection	54
B. Aircraft Recognition	55
C. Computer Accuracy	55
D. CRM/LOFT	55
E. Ground Trainer	56
F. IFR Precision Flight	58
G. IFR Simulated Flight	60
H. Message Drop	61
I. Navigation	62
J. Power-Off & Short-Field Approach and Landing	64
K. SCAN	68

Record of Revisions

Rule	Effective Date	Page	Revised Rule or Summary of Change
I.J.7 Finality of SAFECON Results	01 Jun 2024	17	Exception may be allowed for scorekeeping errors.
IV.D.1 & IV.D.2 Ground Trainer	01 Jun 2024	50	Clarified event description and permitted equipment.
III.C.4 IFR Simulated Flight	01 Jun 2023	29	Replaced IFR rating with IFR proficiency.
IV.A Aircraft Preflight Inspection	01 Jun 2023	46	Added definition of discrepancy. Clarified event procedures and scoring.
V.A Event Scoring Tables	01 Jun 2023	54	Aligned point values and disqualifications with event rules.

Rule	Effective Date	Page(s)	Revised Rule or Summary of Change
I.A.1. Fitness for Competition	01 Jun 2022	6	Increase focus on fatigue and mental health awareness
I.B.1. Airplane Eligibility	01 Jun 2022	7	Clarified current rule with allowance for exceptions
I.B.5. Traditional Navigation	01 Jun 2022	7	Added deactivation allowance to make an airplane eligible
I.D.5. Contestant Eligibility	01 Jun 2022	8	Updated eligibility as long as no more than 1500 flight hours
I.E. Registration and Event Entry Limitations	01 Jun 2022	9	Updated registration process, clarified standard event limitations
I.F.1. Communication with Contestants	01 Jun 2022	10	Clarified acceptable portable electronic device status during any SAFECON event
I.G.1.e and I.G.4 Disciplinary Action	01 Jun 2022	10-11	Clarified process for reporting violations, includes Code of Conduct violations
I.I.1. Approval to serve as a Judge	01 Jun 2022	12	Clarified process
I.I.3. Judges	01 Jun 2022	12	Clarified event validation
I.J.1. and I.J.2. Scoring	01 Jun 2022	13	Clarified points if using Top-10
II.A.10. Personal Electronic Devices	01 Jun 2022	20	Added rule specifying limited use
III.D.5. Message Drop Containers	01 Jun 2022	31-33	New rule for container shape.
III.E.5. Navigation	01 Jun 2022	35-36	Clarified responsibilities and roles of contestant and Safety Observer
III.E.8. Navigation	01 Jun 2022	36	Clarified turn direction
III.F.4 and III.G.4. Pattern Spacing	01 Jun 2022	40, 43	Emphasized go-around decision and clarified possibility of penalty for unsafe, careless, or hazardous operation
III.F.7.b. and III.G.7.b. Target and Foul Lines	01 Jun 2022	41, 44	Removed requirement for white color
III.F.7.e. Bounce	01 Jun 2022	41	Wording aligned with III.G.7.e Short-Field
III.F.7.f. Tailwheel	01 Jun 2022	41	Tailwheel landing technique as appropriate for wind conditions
IV.B.4. Aircraft Recognition	01 Jun 2022	48	Clarified high score wins and the scoring of "None" for number or name
IV.C.5. and IV.E.4. Scoring	01 Jun 2022	49, 53	Aligned Computer Accuracy and SCAN scoring
IV.D. Ground Trainer	01 Jun 2022	50	Added event description. Defined computerized scoring system default parameter weights
V. Event Scoring Tables	01 Jun 2022	54-68	Renamed, aligned with event rules

Introduction

1. This National Intercollegiate Flying Association (NIFA) Rules for Intercollegiate Safety and Flight Evaluation Conference (SAFECON) manual provides an acceptable means of contestant behavior and operation of aircraft during a SAFECON. The manual is meant to provide the minimum acceptable performance and safety standards during SAFECON. Teams are expected to: (i) abide by this manual during competition and, (ii) to use equivalent or more stringent standards to comply with their own operations manuals and/or school SOPs (Standard Operating Procedures).
2. This manual shall be used at all NIFA SAFECONs.
3. The manual is organized in five main sections:
 - I. General Rules
 - II. SAFECON Standard Operating Procedures
 - III. Flight Event Judging Rules
 - IV. Ground Event Judging Rules
 - V. Event Penalty Tables
4. Scoring for the Competition Safety Award includes teams' compliance with this manual. Teams are expected to comply with this manual even if they are not competing for the Competition Safety Award.
5. Failure to comply with this manual may subject an individual or team to the disciplinary action as discussed in General Rules, paragraph I.I.
6. If a question arises regarding compliance or suggestions for improving the manual, please contact a NIFA council member or SAFECON Chief Judge.

I. General Rules

A. Fitness for Competition

1. Each contestant must be fit for competing in any event in which they are entered. Fitness must include a personal assessment of their overall condition pertinent to the event to be entered including, but not limited to:
 - a) Influence or impairment from alcohol, narcotic, or any over the counter medications
 - b) Physical health related to illness such as colds, headaches, broken bones, pulled muscles, etc.
 - c) Rest and Fatigue, both physiologically and psychologically
 - d) Psychological state and/or symptoms of a condition which could, consciously or unconsciously, distract from the safety of flight
 - e) Any other condition that may adversely affect safety (IM SAFE checklist, AIM recommendations, etc.)
2. No contestant may compete if they cannot successfully complete the personal assessment.
3. No coach, advisor, or teammate may allow a team member to compete if that individual knows of any deficiency in the fitness of that contestant pertinent to the event to be completed.
4. Each coach or advisor must be satisfied that each of their contestants entered in a flight event are able to operate in a safe and professional manner. This determination should be made by flying with, or closely observing, each team member prior to arrival at the SAFECON.
5. Failure to comply with this policy may subject the individual or team to the disciplinary action as stated in this manual.

B. Airplane Eligibility

1. Aircraft used at SAFECON must be Single-Engine Land Airplanes with a Standard Airworthiness Certificate. Manufactured Light Sport Airplanes with a Special Airworthiness Certificate are allowed. Primary category aircraft may be allowed with prior approval.
2. Maximum seating capacity of 4 persons.
3. Maximum horsepower - 250 BHP (Brake Horsepower).
4. May not be equipped with an after-market STOL (Short Take-Off and Land) modification.
5. In order to be eligible for the "Traditional" category in the Navigation Event, the aircraft must: (i) meet requirements 1 through 4 above and, (ii) must have no functioning area navigation capabilities. Area navigation includes, but is not limited to, GPS, single (or multiple) point R-NAV units, or any other area navigation equipment. This prohibition applies to both installed and portable devices. Devices may be deactivated to prevent use during the event. The deactivation and restoration of any system must be accomplished by a licensed A&P and appropriately recorded in the aircraft maintenance logbooks.

C. Team Eligibility

1. Each team must be associated with a regionally accredited institution of higher education.
2. Each team must be a member in good standing with the NIFA. This means the membership dues have been paid in accordance with NIFA Bylaws for the current NIFA competition year (1 July – 30 Jun).
3. Only one team may represent any one campus.
4. Each team must be accompanied by a faculty advisor or other advisor recognized by their institution as the official representative for their team. Advisors are to register with the host upon arrival.

D. Contestant Eligibility

1. Each contestant must be currently enrolled at the institution the team represents.
 - a) An exception is given for flight education students who have been delayed completing their degree flight requirements for financial, medical or other valid reasons. If a student is enrolled in a flight course that requires an FAA certificate or rating for course completion, as the last course required to receive a degree in flight education, the period of eligibility can be extended. This eligibility would extend for a period not to exceed six months from the time that all other academic ground course requirements for the degree have been met.
2. Each contestant may compete in no more than four (4) Regional and four (4) National SAFECONs.
3. Each contestant shall be able to show proof of items 1 and 2. If the SAFECON is held after the normal semester, the contestant is considered eligible as if the SAFECON were held during the normal semester.
4. Contestants acting as pilot-in-command in Flight Events must possess at least a Private Pilot Certificate with appropriate category and class ratings and meet current FAA medical certificate requirements.
5. Contestants who have accumulated more than 1500 total flight hours are not eligible to compete.
6. Contestants who possess a Flight Instructor certificate may compete in a maximum of two (2) Regional and two (2) National SAFECONs after the original issuance date of the certificate. However, contestants may not exceed the overall limits stated above in I.D.2.
7. Contestants who hold, or have ever held, an Aviation Mechanic Certificate are not eligible to compete in the Preflight Event.
8. Each contestant in the Crew Resource Management/ Line Oriented Flight Training (CRM/LOFT) Event must hold an Instrument Rating.
9. A contestant must have attended the Safety and General Contestant briefings in order to be eligible to compete in any event. In the case of special circumstances, an alternate briefing may be authorized by the Chief Judge or their designee.

E. Registration and Event Entry Limitations

1. All team registrations must be made by the deadline set by the NIFA Executive Committee or host, in accordance with the NIFA Bylaws.
2. A contestant may compete in each event only once.
3. The schedule of events and the actual number of contestants allowed to compete in any event shall be determined by the Executive Committee in the case of a National SAFECON or the host in the case of a Regional SAFECON. In the case event limitations are not specified, the following limitations shall apply:
 - a) Power-Off Approach and Landing & Short-Field Approach and Landing Events may each be entered by a maximum of five (5) contestants from each team. The minimum number of aircraft used by each team will be set by the Executive Committee in the case of a National SAFECON and the Chief Judge in the case of a Regional SAFECON.
 - b) Message Drop Event may be entered by a maximum of five (5) Dropmasters from each team. An individual may compete in the Message Drop Event no more than two (2) times, and may only compete as a Dropmaster one (1) time.
 - c) Navigation Event may be entered by a maximum of three (3) contestants from each team. Teams utilizing a single aircraft for the Navigation Event will be limited to two (2) contestants.
 - d) Aircraft Recognition, Computer Accuracy, and Simulated Comprehensive Aircraft Navigation (SCAN) Events may each be entered by a maximum of five (5) contestants from each team.
 - e) Aircraft Preflight Inspection Event and Ground Trainer Event may each be entered by a maximum of two (2) contestants from each team.
 - f) IFR Simulated Flight Event and IFR Precision Flight Event may each be entered by a maximum of one (1) contestant from each team.
 - g) CRM/LOFT Event may be entered by only one (1) crew of two (2) contestants from each team.

F. Communication with Contestants

1. All contestant portable electronic devices (e.g. mobile phones, iPads, etc.) shall be turned off or placed in Airplane Mode during any Flight Event or Ground Event.
2. During Flight Events, no communications (other than Air Traffic Control or for safety of flight) is to take place between a person in the airplane and anyone on the ground or airborne outside the aircraft, unless authorized by the Chief Judge.
3. During Ground Events, no communications will take place between any contestant and anyone other than a judge.
4. During the Navigation Event there shall be no communication between those who have completed their flight and any contestant who has yet to participate in the event.
5. Any radio communication between team members for the purpose of coordinating team members or for logistical reasons shall be on frequencies approved for that type of use.

G. Disciplinary Action

1. Teams and contestants at National and Regional SAFECONS are subject to disciplinary action by the NIFA Council for, but not limited to, the following:
 - a) NIFA rule violations
 - b) FAR violations
 - c) Civil law violations
 - d) Causing physical or verbal harm to others
 - e) NIFA Code of Conduct violations
2. The Chief Judge shall make a ruling on any disciplinary action regarding alleged violations of G.1.(a) or (b) by contestants or teams. The contestant or team may appeal this ruling to the NIFA Council. A two-thirds (2/3) majority of those Council members hearing the appeal must agree on the outcome of the appeal.
3. A majority of the NIFA Council members present at the National SAFECON, chaired by the NIFA Council Chair or

the Executive Director should the Council Chair not be present, shall hear any case regarding alleged violations of G.1.(c), (d), or (e) by a contestant or team. A two-thirds (2/3) majority of those Council members present at the hearing must agree on any disciplinary action.

4. Any contestant, advisor, coach, or judge who observes a violation should report it to the Chief Judge, Executive Director, or any NIFA Council Member.
5. The individual(s) accused of a violation shall have the opportunity to speak in their defense. The team's advisor shall also have an opportunity to speak in the defense of the accused.
6. Regional SAFECON- The Regional Representative or Chief Judge (should the Regional Representative not be present) shall formulate a body to act as a "Regional NIFA council" for the purpose of disciplinary action for this section.
7. Disciplinary action may include, but is not limited to:
 - a) Elimination of the contestant(s) or team from a particular event.
 - b) Elimination of the contestant(s) or team from the entire SAFECON.
 - c) Suspension from NIFA SAFECONs for a designated period.

H. Exceptions

1. The Chief Judge may make verbal exceptions to the extent necessary for the safe conduct of events.
2. Any exception that will involve scoring or safety item(s) shall be made in conjunction with a majority of team advisors present.
3. The NIFA Council/"Regional NIFA Council" can make an exception to any rule by a two-thirds (2/3) majority vote of those Council members voting. These exceptions must be given to the affected teams in writing as soon as practical.

I. Judges

1. The Chief Judge for the National SAFECON will be approved by the NIFA Council, and other judges will be approved by the Judges Committee. Regional SAFECON judges will be approved by the NIFA Judges Committee.
2. Judges will be aided by Starters, Timers, Measurers and other necessary helpers during the SAFECON.
3. The judges will meet in closed session following each event. They will review the overall conduct of the event and validate each placing in the event. Their decision will be final. Winners will be announced at the Awards Banquet. Measurements and times of individual contestants may be released by the Chief Judge.
4. No advisor from any competing school or any other person connected with a competing team shall be with the judges during judging, unless invited by the Chief Judge.
5. The Chief Judge shall submit each contestant's score and, if possible, place standing in each event to the team advisor within 24 hours after the conclusion of the last event.

J. Scoring

1. National SAFECONs will score Top-20. Regional SAFECONs may score only the Top-10, at their discretion, but the decision to score Top-10 or Top-20 must be agreed upon by all member schools as overseen by the Regional Representative.
2. Each event will be scored and described individually.

a) Flight Events will be scored as follows:

	Power-Off Landing, Short-Field Landing, and Navigation		Message Drop, IFR, and CRM/LOFT	
	Top-20	Top-10	Top-20	Top-10
1 st place	40 points	20 points	20 points	10 points
2 nd place	38 points	18 points	19 points	9 points
3 rd place	36 points	16 points	18 points	8 points
4 th place	34 points	14 points	17 points	7 points
5 th place	32 points	12 points	16 points	6 points
6 th place	30 points	10 points	15 points	5 points
7 th place	28 points	8 points	14 points	4 points
8 th place	26 points	6 points	13 points	3 points
9 th place	24 points	4 points	12 points	2 points
10 th place	22 points	2 points	11 points	1 point
11 th place	20 points	N/A	10 points	N/A
12 th place	18 points	N/A	9 points	N/A
13 th place	16 points	N/A	8 points	N/A
14 th place	14 points	N/A	7 points	N/A
15 th place	12 points	N/A	6 points	N/A
16 th place	10 points	N/A	5 points	N/A
17 th place	8 points	N/A	4 points	N/A
18 th place	6 points	N/A	3 points	N/A
19 th place	4 points	N/A	2 points	N/A
20 th place	2 points	N/A	1 point	N/A

b) Ground Events will be scored as follows:

	Top-20	Top-10
1 st place	20 points	10 points
2 nd place	19 points	9 points
3 rd place	18 points	8 points
4 th place	17 points	7 points
5 th place	16 points	6 points
6 th place	15 points	5 points
7 th place	14 points	4 points
8 th place	13 points	3 points
9 th place	12 points	2 points
10 th place	11 points	1 point
11 th place	10 points	N/A
12 th place	9 points	N/A
13 th place	8 points	N/A
14 th place	7 points	N/A
15 th place	6 points	N/A
16 th place	5 points	N/A
17 th place	4 points	N/A
18 th place	3 points	N/A
19 th place	2 points	N/A
20 th place	1 point	N/A

3. Ties:

- a) If a tie exists the judges shall make up tie breaking problems and/or hold a run-off contest. If a run-off contest is not practical, the tie will remain and each contestant will be awarded points as determined by the following formula:

(Points per table above for place + points for subsequent places up to the total number of tied contestants for that given place)/ number of tied contestants for that given place.

Additionally, if a tie occurs the next awarded place will be calculated as:

(Place of tied contestants + number of tied contestants for that given place)

4. Individual Cumulative Event Awards:

- a) The “Top Pilot” of the SAFECON shall be the contestant who holds at least a Private Pilot Certificate and a current medical, and who earns the largest total number of points in the following events:
 - (1) Power-Off Approach and Landing Event
 - (2) Short-Field Approach and Landing Event
 - (3) Navigation Event
 - (4) Ground Trainer Event
 - (5) Preflight Event
 - (6) SCAN Event
- b) However, to be designated “Top Pilot,” a contestant must place fifth or higher in one of the three following flight events (if flight events are held):
 - (1) Power-Off Approach and Landing Event
 - (2) Short-Field Approach and Landing Event
 - (3) Navigation Event
- c) In the event of a tie, the following events will be considered one at a time and in the following order to determine the top pilot:
 - (1) Computer Accuracy
 - (2) Aircraft Recognition
 - (3) Message Drop
- d) In the event of a contest shortened due to weather or some other unforeseen circumstances, at least one full round of the Power-Off Approach and Landing Event, Short-Field Approach and Landing Event, OR Navigation Event must be completed in order to award the “Top Pilot” award. In the event of this occurrence, any physical or monetary awards associated with the “Top Pilot” award will go to the contestant who accumulates the most points as outlined in letter (e) below.
- e) The Top Scoring Contestant will be awarded to the individual contestant who accumulates the largest total number of points in the SAFECON.

- f) For the purpose of this section, the following rules apply to awarding individual points for multi-contestant events:
- (1) Navigation – Points earned in the Navigation Event will be applied to the PILOT's cumulative total for Top Pilot and Top Scoring Contestant.
 - (2) CRM/LOFT – Points earned in the CRM/LOFT Event will be split evenly amongst the two contestants and applied to their respective cumulative total for Top Pilot and Top Scoring Contestant.
 - (3) Message Drop – Points earned in the Message Drop Event will be applied to the DROPMASER's cumulative total for Top Pilot and Top Scoring Contestant.

5. Team Awards:

- a) SAFECON Flight Events Champion shall be the team who earns the largest number of points in the Flight Events.
- b) SAFECON Ground Events Champion shall be the team who earns the largest number of points in the Ground Events.
- c) SAFECON Judges Trophy shall be awarded to the team that earns the largest number of points as determined by the following rules:
 - (1) Each contestant (other than those disqualified) will earn points for their respective rank.
 - (2) Points awarded to each contestant will be determined by the following formula:
(Number of Contestants in Event + 1) – Contestant Rank
 - (3) Points in the case of a tie will be awarded using the following:
(Points per formula for place + points for subsequent places up to the total number of tied contestants for that given place) / number of tied contestants for that given place.

- (4) Additionally, if a tie occurs the next awarded place will be calculated as:

(Place of tied contestants + number of tied contestants for that given place)

- (5) Points described in this paragraph apply to the Judges Trophy ONLY. All other Team and Individual Awards are based on the points described in previous paragraphs.
- d) SAFECON Champion (National Champion in the case of a National SAFECON) shall be the team who earns the largest number of points in the overall SAFECON.

6. Early Closure or Incomplete Events:

- a) In case weather or time forces the closing of any event, a completed event shall consist of each registered team flying one contestant in that particular event. Should weather or time force the closing of any event part way through a round, the scores from the completed rounds ONLY shall be computed for determining team standings. Individual standings, however, may be based on scores earned in an incomplete round.

7. Finality of SAFECON Results:

- a) Announcements of the results at the awards banquet are intended to be final. An exception may be made to correct a scorekeeping error (omission or incorrect placing) having a significant impact on the results. A review for potential correction must be requested within 7 days of the awards banquet. Corrective action may be taken by a 2/3 majority vote of NIFA Council. An explanation of the error will be included if corrected results are posted.

II. SAFECON Standard Operating Procedures

A. Flight Operations

1. Traffic Control:

- a) Information pertaining to radio communications and local operating procedures and policies will be sent to each team prior to the start of the SAFECON.
- b) All pilots are expected to comply with local operating procedures and policies as soon as they arrive at the host airport. No contestant may begin any flight practice until they have received information regarding the local operating procedures and policies.
- c) During the SAFECON each participant shall comply with all traffic flows, engine shutdown lines, safety areas, and other instructions given by the staging personnel.

2. Practice Flights and Aircraft Check-Outs:

- a) After initial arrival at SAFECON by a contestant, no flight by a contestant as a pilot or a passenger is authorized after sunset without the consent of the Chief Judge. Any flight that is authorized after sunset and conducted outside the traffic pattern must be on a flight plan filed with Flight Service.
- b) The host shall establish designated landing practice days and periods. Outlying airports shall also be designated. Practice periods shall be coordinated through the Executive Committee or host. If no schedule has been established when a team arrives, then all practice must be conducted in Day VFR conditions while in compliance with local operating procedures and policies.
- c) All flight activity shall cease at the close of established practice period, or sunset if no established practice period has been set, the day of the General Contestant Briefing. After the cessation of practice, no contestant shall fly any flight for any reason without the consent of the Chief Judge.
- d) No practice in a ground trainer, simulator, or other flight simulation device is authorized after the close of the established practice period or receipt of the pattern, whichever is first.

3. Duty Limitations for SAFECON Competition Days:

- a) Normal competition day is ten (10) hours. This can be extended to a maximum of twelve (12) hours at the discretion of the Chief Judge.
- b) Competition days can be extended beyond ten (10) hours no more than two consecutive times.
- c) Rest time at the end of a competition day is a minimum of twelve (12) hours or that day's competition time plus one (1) hour, whichever is greater.
- d) Competition day commences with the first briefing of the day and concludes at the end of the last competition event.
- e) Flight events will not commence before sunrise or continue after sunset.

4. Weather Criteria:

- a) No aircraft may conduct flight operations if any environmental contamination (e.g. frost, snow, or ice) is adhering to any aircraft surface.
- b) No flight activity is permitted during competition when the steady wind condition exceeds 25 knots or the gust factor exceeds 10 knots.
- c) No flight activity is permitted during competition when the crosswind component exceeds 15 knots or 10 knots during the landing events.
- d) Maximum tailwind component for flight operations is 5 knots.
- e) Flights in the traffic pattern must comply with weather requirements for the appropriate type of airspace as outlined in 14 CFR Part 91. Traffic pattern visibility must be at least three (3) Statute Miles (SM).
- f) For the Navigation Event, the ceiling must be at least 500 feet above the highest altitude required for the route to be flown and the minimum visibility must be at least five (5) SM.
- g) For any event that involves flight into IFR conditions, the ceiling must be at least 1500 feet and the surface visibility at least 3 SM.

5. Formation Flights:

- a) Intentional flight with less than 500 feet separation is not authorized from the time of leaving the home airport until returning to the home airport.

6. Taxiing:

- a) All taxiing must be at a slow and reasonable speed. Taxiing in the vicinity of personnel on the SAFECON ramp must not be faster than a brisk walk/fast walking pace.

7. Passengers:

- a) No passengers may be carried during any flight during the SAFECON. All flights during the landing event must be solo. Only the pilot and the dropmaster may be in the airplane during the Message Drop Event. Only the pilot and the observer (or judge) may be in the airplane during the Navigation Event.

8. Federal Aviation Regulation (FAR) Compliance:

- a) All contestants are expected to comply with the FARs at all times. Contestants will be under safety scrutiny during the entire time they are at the site of the SAFECON.

9. Alcoholic Beverages, Illegal Drugs or Substances:

- a) In addition to the applicable FARs, the consumption or use of, or being under the influence of, alcoholic beverages, illegal drugs or substances, or illegal narcotics in any quantity by contestants is prohibited from the time of departure from the team's home airport until the time they return. In any case, the use or consumption of alcohol by the contestants of any competing school (including the host) is prohibited from a period beginning 24 hours prior to the General Contestant Briefing until 24 hours after the conclusion of the last activity, as indicated on the official schedule of events as published or as amended by the team advisors.

10. Personal Electronic Devices:

- a) Use of personal electronic devices (e.g. cell phones, iPads, GoPros, etc.) by contestants is limited to only that which is required for the specific event. For example, iPads may be used in the Unlimited Navigation event for electronic flight bag/approved navigational charts ONLY. Use of a PED to actively communicate, photograph, or video any portion of an event - including taxi and during flight - is strictly prohibited.

B. Ground Operations

1. Personal Electronic Devices:

- a) Usage of personal electronic devices shall be limited so as not to present a safety hazard. Distractions while walking, towing an aircraft, or supervising aircraft movement shall be avoided. Use of personal electronic devices is not permitted in the Start Box, Shutdown Box, or refueling area.

2. No Smoking:

- a) No smoking is permitted on the ramp, around any aircraft, or in the refueling areas. Smoking is only permitted in areas designated by the host.

3. Ramp Visitors:

- a) Team members are responsible for the safety of their approved visitors on the ramp. Those visitors that are unfamiliar with airport/ramp operations shall be escorted. Visitors may also be subject to additional requirements of the host.

4. Parking Spot Protocol:

- a) Aircraft shall be appropriately tied down with at least one main wheel chocked and tie downs tight and strong enough to restrain the aircraft.
- b) If the aircraft is not chocked or tied down, at least one team member must be with the aircraft.
- c) There shall be indication to personnel outside a parked and unattended aircraft that the aircraft is secure. All personnel shall remain clear of the propeller arc at all times.

5. Staging Procedures and Ground Movement:

- a) Contestants not involved in the staging process will remain clear of the staging area.
- b) All aircraft must be towed from the NIFA ramp to the Start Box.
- c) At the beginning of scheduled NIFA practice, all aircraft will require a Staging Judge for clearance to start

engines, including those departing the host airport for practice.

- d) All personnel must remain clear of the Shutdown Box until all aircraft have turned off their engines and signaled that aircraft have been properly secured.
- e) Teams shall use hand signals per the Aeronautical Information Manual to communicate with aircraft in the Shutdown Box.
- f) No one shall enter or exit an aircraft while the engine is running.

6. Prior to Aircraft Engine Start:

- a) Pilots will get approval from the Staging Judge to start aircraft.
- b) Pilots will give a verbal alert and visual check around the aircraft to ensure all personnel are clear
- c) On aircraft so equipped, appropriate lights must be on to alert other people of an engine running and will remain on during all ground engine operations.

7. Aircraft Refueling:

- a) Aircraft shall not be powered during refueling.
- b) No one shall occupy any of the aircraft's seats during refueling.
- c) Aircraft will be appropriately grounded during refueling.
- d) Refueling shall be suspended if there are lightning discharges within 5 Statute Miles (SM) of the airport.

8. Maintenance Performed on SAFECON Aircraft:

- a) Any maintenance performed on SAFECON aircraft shall be coordinated with the Staging Judge.
- b) Any maintenance performed on the aircraft must be performed in accordance with current regulations.
- c) A maintenance engine run will be coordinated with the Staging Judge, including where to perform the run-up and how to move the aircraft to a run-up area.

III. Flight Event Judging Rules

A. *Crew Resource Management/Line Oriented Flight Training (CRM/LOFT)*

1. The purpose of this event is to test the contestant's problem-solving ability in a team environment. They will be tested during a "real time" simulated flight.
2. All contestants must hold an Instrument Rating. A Multiengine Rating is preferred.
3. Each team may enter one crew of two pilots.
4. The event will be flown in an IFR capable simulator with two crew positions. Dual controls are preferred, but not required.
5. All contestants will fly the same Line Oriented Flight Training (LOFT) scenario during the SAFECON. Differences may occur if the contestants alter the intended path of the LOFT through their decisions. All resultant paths must be identical. For example, all teams who make decision A will get result B.
6. Each LOFT scenario will be scripted from the crew's first contact with the other crew members to the final landing, or other resolution point. The LOFT will be designed with contingencies for any deviations the contestants make from the proposed plan. Once started, the LOFT will be in "real time." Some cruise segments may be shortened for the sake of time. The contestants will be notified of any such deviation both before the LOFT scenario starts and again while the deviation is being made.
7. The LOFT scenario will be planned with an even and realistic mix of simple problems (e.g. one navigational radio failing) and complex situations (e.g. one of three landing gear not extending). Specific simulator or aircraft knowledge will not be tested. The event is designed to test the contestants' ability to work together to solve problems, not to diagnose complex aircraft systems problems.

8. The judge(s) will act as all outside parties (air traffic control, company maintenance, passengers or flight attendant, etc.). The contestants must address these third parties the way they would in a real aircraft. For example, they must tune in the correct radio frequency to talk to air traffic control.
9. Malfunctions will be appropriately handled by the Event Judge(s). The Event Judge(s) and the Chief Judge will determine contestant recourse to equipment malfunction.
10. The route of flight and other pertinent information will be given to the contestants prior to the actual flight.
11. Scoring:
 - a) Points will be deducted based on the severity of the error. For example, an altitude deviation will be a larger penalty than not setting the correct transponder code.
 - b) Penalty points will be totaled. The absolute value of the contestant's score will determine the ranking of the teams. The lowest score wins.
 - c) Contestants may terminate a flight at any time and accept a disqualification.
 - d) Rough and abusive handling of the equipment will result in disqualification and termination of the flight.
 - e) Actual scoring parameters and penalties for a contest will be determined by the Event Judge(s) with the consent of the Chief Judge.

B. IFR Precision Flight

1. Each team may enter one contestant in the IFR Precision Flight Event. Contestants must be instrument rated and must meet the IFR recency of experience requirements as specified in Part 61 of the FARs.
2. The Chief Judge will approve conduct of this event based on prevailing conditions.
3. Contestants shall fly an IFR check flight in VMC (Visual Meteorological Conditions) under simulated instrument conditions, maintaining visual contact with the ground at all times, and be evaluated on the basis of the precision with which the instrument pattern is flown. This check flight will not exceed two hours duration and may cover any of the following segments:
 - a) A ground phase, including an IFR clearance test.
 - b) A flight phase, including:
 - (1) An instrument departure.
 - (2) A demonstration of basic, IFR maneuvers—the execution of climbs, descents, and turns; changes in airspeed and airplane configuration; recovery from unusual attitudes; and use of the clock.
 - (3) A holding pattern at either a NAVAID or at an intersection.
 - (4) A non-precision approach—with procedure turn; inbound/outbound tracking of a VOR radial; and descent to Minimum Descent Altitude (MDA).
 - (5) A missed approach.
4. Contestants may be required to demonstrate some of these maneuvers with partial panel. The event judge shall specify which radio aids and reference instruments may be used during any segment of the check flight.
5. Contestant Aircraft: Each contestant may use their own aircraft, or one provided by the event sponsor. In either case, the aircraft must:
 - a) Be a 4-place airplane so that a safety observer can ride along.
 - b) Meet all FAA requirements for operation in instrument

conditions.

- c) Have at least one VOR receiver.
 - d) Meet any minimum performance requirements imposed by the event judge to ensure air safety.
 - e) Have dual controls and be configured so that the check pilot can monitor and evaluate the flight and navigation instruments. In no event shall a contestant be allowed to use an autopilot, a slaved ADF, a pictorial navigation indicator, an RMI, or and RNAV during the contest. Any questions about equipment will be resolved by the Chief Judge before the flight.
6. Each contestant shall furnish an IFR hood that effectively restricts outside visual reference for the pilot and does not unduly restrict visibility for the check pilot. The event judge shall have final authority to determine hood suitability.
 7. All contestants shall fly the same instrument navigation pattern. Contestants may have up to two hours to review the flight plan prior to their scheduled departure. Contestants are expected to furnish any logs, knee boards, approach plate holders, or other aids they may want to use during the check flight.
 8. Each contestant will be evaluated on the basis of following specified procedures and on how accurately airspeed, altitude, heading, course, and time are maintained as appropriate for each segment of the check flight. Deviations will result in the assessment of penalty points or in disqualification. The minimum acceptable precision expected of contestants is that required to pass an instrument check ride (see the FAA Instrument Practical Test Standards).
 9. Scoring:
 - a) The following penalty will be assessed for IFR clearance on the ground:
 - (1) Up to 200 points maximum penalty based on the percentage error for incorrectly reading back an IFR clearance—i.e., 3 elements missed out of a 10 element clearance message, 30 percent error = 60 points penalty, and an additional penalty (50 points) each time the clearance is repeated at the request of the contestant.

- b) The following deviations shall result in a 20 point penalty for each occurrence exceeding 5 seconds duration during the flight:
 - (1) Failure to maintain heading (when appropriate) within 10° (20 points per 10°)
 - (2) Deviations of greater than +100 feet from assigned or published altitude (20 points per 100 feet)
 - (3) Failure to execute turns at standard rate within a tolerance of + 5 seconds for each 90° of turn
 - (4) Failure to level off from a climb or descent within + 100 feet of assigned altitude (20 points per 100 feet)
 - (5) Failure to maintain specified airspeed in climb, descent, or an approach (20 points per knot)
 - (6) Failure to begin or end legs on time (20 points per 10 seconds)
 - (7) All of the above penalty values double after passing the station outbound on approach
- c) The following deviations shall result in a 50 point penalty for each occurrence exceeding 30 seconds during the flight:
 - (1) Failure to capture on track (except during approach) a prescribed radial of a VOR within 5° of a prescribed bearing
 - (2) Failure to make any required position reports during the check flight. This includes position reports required by FARs as well as those required by the judge. Required reporting points will be reviewed in the briefing
 - (3) Failure to operate avionics equipment properly
- d) The following deviations shall result in a 100 point penalty:
 - (1) turns in an incorrect direction
 - (2) Flying incorrect headings for a protracted length of time. The decision to apply this penalty will be strongly influenced by the length of time required

for the contestant to discover their error

- (3) Any action deemed irregular by the Event Judge but not necessarily as hazardous or unsafe as to be disqualifying
- e) The following actions shall result in disqualification:
- (1) Significant deviation from, or failure to execute, any portion of the assigned IFR flight pattern or ATC clearance (for example, incorrect frequency or OBS selection not caught within 30 seconds)
 - (2) Exceeding any clearance limit
 - (3) Operating more than 100 feet below any published Minimum Enroute Altitude (MEA), Minimum Safe Altitude (MSA), or approach segment altitude as appropriate to the leg being flown
 - (4) Going below MDA, or failing to execute a missed approach at the defined Missed Approach Point (MAP)
 - (5) Reckless, hazardous, or unsafe flying, including loss of positive airplane control or any other maneuver that causes the airplane to enter an unusual attitude
- f) The contestant accumulating the least points from the combined score of the ground and air phases of the IFR Precision Flight Event shall be declared the winner.

C. IFR Simulated Flight

1. The purpose of this event is to test contestants in a simulated, dynamic IFR flight environment while performing to the standard procedures required by the Aeronautical Information Manual (AIM) and Air Traffic Control (ATC).
2. This event will be conducted in an IFR configured simulator with an automatic computer program capable of accepting scoring parameters appropriate to a given flight.
3. All contestants will fly the same flight with the same scoring parameters.
4. Each contestant must be proficient in IFR procedures.
5. Each flight may include any or all of the following: departure climbs, descents, and turns; VOR and NDB tracking; radar vectors; a non-precision approach; a precision approach; a missed approach; a landing; and all communications required to conduct an IFR flight.
6. Actual scoring parameters and penalties for a contest will be provided by the event sponsor with the team's contestant packages.
7. The flight pattern will be given to the teams at the General Contestant Briefing.
8. Contestant recourse to equipment malfunction will be determined by the Chief Judge and the Event Judge.
9. A contestant may terminate a flight at any time and accept a disqualification.
10. Scoring:
 - a) Automated scoring will be based on the accepted tolerances of the Airman Certification Standards (ACS) for an instrument flight check. Penalty points will accrue based on the following (actual points will be based on the flight and equipment limitations):
 - (1) 50% or less deviation - no penalty points
 - (2) 51% to 100% deviation - minor point penalty
 - (3) Greater than 100% deviation - major point penalty
 - b) Significant departure from flight plan such as wrong

turns, violating protected airspace, more than 500 ft. altitude error, or descent below MDA or DA will incur a gross penalty.


- c) Discretionary penalties will be awarded by the Event Judge for items such as, but not limited to, the following:
 - (1) Failure to make a required position report.
 - (2) Failure to make a requested radio report.
 - (3) Failure to identify a navigation aid prior to use.
 - (4) Additional penalties based on flight scenario.
- d) Rough and abusive mishandling of the equipment will result in disqualification and termination of the flight.

D. Message Drop

1. If possible one drop run should be made using two message drop containers. Two targets may be utilized; one located near the approach end of the runway and the other near the departure end. No mechanical or electronic devices may be used for dropping the containers or for calibrating the time of release.
2. Each airplane shall make a normal takeoff and climb at least 400 feet before making the first turn. After the run, the same climb out procedure and pattern shall be used. After landing, each airplane must clear the runway as soon as it is safe to do so. Pilots must refrain from making excessively long downwind legs, thus delaying the event.
3. A rectangular pattern shall be flown at the recommended traffic pattern altitude for that airport. Power shall be reduced on the downwind leg and the turn onto final approach shall be completed above 300 feet AGL. At no time during the drop run shall the altitude be less than 200 feet above the level of the airport. The drop run shall be made generally into the wind at normal cruising speed. Flaps and landing gear (if applicable) must be fully retracted.
4. Proper spacing in the pattern shall be maintained by each aircraft. If proper spacing cannot be maintained, the overtaking airplane shall make a go-around. No "S" turns or 360° turns will be permitted on the downwind leg. Approved methods of obtaining proper spacing are:
 - a) Extension of the upwind leg, or
 - b) Slow flight on the downwind leg.
5. Message drop containers must conform to the specifications listed below:
 - a) May be constructed of any material
 - b) May be of any shape, with the exception that the surface of the container which is intended to be the bottom, once the container is released from the aircraft, must be a flat surface that's shortest measurement, from one edge to its opposite edge, may be no smaller than the diameter of a U.S. dime

- c) Outermost dimensions of the container, not including the streamer, must be no larger than that which would fit within a rectangular prism that measures 6.125" x 1.875" x 1.875", and no smaller than that which would fit within a rectangular prism that measures 5.875" x 1.625" x 1.625"
- d) Must be able to contain a 3" x 5" message card or similar score sheet
- e) Must include a closable compartment, which is readily opened without the aid of an instrument after the container is dropped, that will contain the message card
- f) Overall weight of the container, including the streamer, streamer attachment mechanism and message card must not exceed 2.5 ounces
- g) May be finished in colors, however, the container must be readily identifiable as belonging to a particular team.
- h) If the message drop container compartment is closed with a plug, that plug shall be included in the maximum weight of the message drop container as specified above.
- i) The message drop container must have attached to it a streamer, which must conform to the following specifications:
 - (1) Streamer must measure 30" ± 2" L x 2" ± 0.5" W, not including the part of the streamer that may be used to attach it to the message drop container
 - (2) Shall be made of Dacron or other, similar material
 - (3) Edge of the streamer may be pinked, cut on bias, or sealed, to prevent fraying
 - (4) Method of attachment may vary, but in every case shall meet the following requirements:
 - i. If the streamer is not attached directly to the message drop container, the distance from the end of the container to the end of the streamer shall not exceed six (6) inches.

- ii. If the streamer is not attached directly to the message drop container, the distance from the end of the streamer closest to the container and the attachment mechanism shall not exceed one (1) inch.



- j) The container must be designed to remain intact upon impact with the ground. Failure to remain intact may result in a penalty assessed in accordance with NIFA rules.
- k) Neither the message drop container, nor the streamer, shall have any moving parts meant to stabilize the message drop container once it has been released from the aircraft.
- l) Mechanisms that allow for external control of the message drop container, once it has been released from the aircraft, are prohibited.
6. Scoring:
- a) Drop run over each target shall be counted whether the container is dropped or not.
- b) Total distance from the drop container to the target will be measured in feet. The lowest total combined distance for the two containers will determine the winner.
- c) Following items will result in the penalty shown:

- (1) Streamer fails to deploy. (300 points)
 - (2) Streamer separates from the message container prior to contact with the ground. (300 points)
- d) Following maneuvers will result in disqualification:
- (1) Failure to drop two containers on drop run.
 - (2) Low or high airspeed or unusual attitude on drop run.
 - (3) Altitude less than 200 feet AGL during the drop run.
 - (4) Irregular pattern, "S" turns, slow flight, or diving during a run.
 - (5) Any action deemed by the judges to be careless or reckless

E. Navigation

1. The Navigation event may consist of two categories: Traditional and Unlimited. Should both categories be contested at a SAFECON, scoring metrics shall be identical for both.
2. In order to be eligible to compete in the Traditional category, an aircraft must meet the requirements of General Rule I. B. (5). Should the aircraft not meet those requirements, the aircraft and contestant will be moved into the Unlimited category. Intent to compete in the Traditional or Unlimited category must be declared by the deadline specified by the Chief Judge. A list showing entrants in each category shall be maintained and posted by the Chief Judge on the NIFA website.
3. A choice of true airspeeds may be offered by the Chief Judge prior to the event (e.g. 85 knots, 95 knots, 100 knots, 120 knots). This is to ensure proper spacing is maintained along the routes. The contestant must plan the flight using their selected choice of true airspeed offered by the Chief Judge. This choice must be made by the deadline specified by the Chief Judge and may not be changed once the heat sheet is published.
4. This event shall consist of a cross-country flight over a multiple leg course between 70 NM and 120 NM in length. The 70-120 NM distance requirement shall be calculated from the start point of the course to the final checkpoint. The same routes shall be used for both the Traditional and Unlimited categories.
 - a) In the event multiple routes are used, all routes shall share the same characteristics such as overall length (no more than 10% variance), number of legs, general length of legs, specified distances from checkpoints, and any other pertinent metrics.
5. The contestant shall conduct the NIFA planning and shall be the PIC of the aircraft for the event. Each contestant shall be accompanied by a Safety Observer. Safety Observers must meet the following responsibility and requirements:
 - a) The Safety Observer's responsibility is to aid in separation from traffic and obstructions.

- b) Contestants and Safety Observers must be registered members of the same team. If a team cannot meet this requirement, the Chief Judge may appoint a Safety Observer.
 - c) Contestants and Safety Observers must meet the eligibility requirements of rule I.D.
 - d) No Contestant or Safety Observer may fly more than one (1) navigation route.
6. The altitude for the flight may be assigned by the Navigation Judge. Current Federal Aviation Regulations must be observed at all times.
 7. The aircraft will be flown in a clean cruise configuration.
 8. The airplane must pass directly over each checkpoint in straight and level flight on a track consistent with a direct course from the previous checkpoint or point of departure. After passing the checkpoint, the aircraft must make a turn to be established on a direct course from that checkpoint to the next checkpoint or point of destination, if passing over the final checkpoint. Turns shall be made in the shortest direction to establish on the outbound track.
 9. Airplanes must be fueled prior to the beginning of the Navigation Event, preferably the night before the competition.
 10. Within the allotted time as determined by the Navigation Judge, each contestant must submit information required on the approved NIFA Navigation Event Flight Planning Form. This information includes, but is not limited to, the estimated time enroute for each leg, estimated total time enroute from the start point of the course to the last checkpoint, and estimated fuel consumption from engine start until engine shutdown.
 - a) In the Traditional category, the flight planning must be completed using only a current NOAA sectional chart. Multiple charts may be taped or stapled together, but it is the contestant's responsibility to prove chart currency. Flight computers and calculators may also be used in planning. Use of any automated flight planning software is prohibited.

- b) In the Unlimited category, the flight planning may be completed using any equipment that meets FAA standards for primary use in flight planning and enroute VFR navigation. The contestant may be required to prove aeronautical data currency on the device to be used. The student is responsible for ensuring any electronic equipment to be used in flight planning and enroute has adequate electrical charge to complete the event. NIFA will not be responsible or obligated to provide outlets, battery packs, or other sources of electricity at any point in the Navigation Event.

11. Scoring:

- a) The Traditional and Unlimited categories will be scored and ranked independently of each other.
- b) Fuel penalty points will be assigned based on the accuracy of the fuel consumption estimation for the entire flight. (engine start to engine shutdown)
- c) Penalty points will be assigned based on the difference in seconds for the following:
 - (1) Estimated vs. actual total elapsed time from the start point of the course to the time over the last checkpoint.
 - (2) Estimated vs. actual time enroute for each leg of the course.
- d) Scoring parameters may include penalty points for the following metrics:
 - (1) Accurate identification of symbols, geographic references, pictures, or other markers on the ground at each checkpoint or at intermediate point(s) along the route. Penalty points will be assessed for failure to identify, or incorrectly identifying, the symbol, geographic reference, picture, or other marker. The symbol must be accurately marked on the paperwork provided in planning.
 - (2) Failure to fly within a specified distance of a checkpoint on an appropriate heading. This distance shall be published and may vary for each checkpoint. This distance shall not exceed the

radius of a cone centered over the checkpoint projecting vertically with a 2° angle off a vertical line centered over the checkpoint.

- (3) Deviation from average groundspeed on each leg (not calculated within 2 NM of a checkpoint)
 - (4) Deviation from altitude on each leg (not calculated if the leg involves a change in altitude)
 - (5) Course cross-track deviation on each leg (not calculated within 2 NM of a checkpoint)
 - (6) Excessive bank angles
 - (7) Failure to complete section A of the NIFA Navigation Event Planning Form
- e) Lowest total score will determine the winner in each category
- f) The following will result in disqualification:
- (1) Altitude deviation of more than 500 feet, except in the interest of flight safety
 - (2) Circling and heading deviations in excess of 60°, except as needed to initially establish track on each leg or in the interest of flight safety
 - (3) Deviation from estimated flight time on any leg by plus or minus 5 minutes
 - (4) Operating in an unsafe or hazardous manner, including exceeding a 45° bank angle
 - (5) Operating in other than a clean configuration. This includes slow flight or flight at minimum controllable airspeed
 - (6) Tampering with GPS recording devices placed in aircraft by judges
 - (7) Use of a mobile device, except in case of an emergency
 - (8) Incorrect plotting of checkpoint on sectional chart or electronic means by more than 2 NM
 - (9) Failure to plan at the chosen true airspeed
 - (10) Incorrect plotting of course (backwards)

- (11) Incomplete chart or incomplete filling out of section B of the NIFA Navigation Event Planning Form
- (12) Use of fuel dipsticks when refueling for scoring purposes
- (13) Unauthorized communication with other team members or contestants
- (14) Use of any area navigation equipment, automated or electronic flight planning systems, or the like when competing in the Traditional category

F. Power-Off Approach and Landing

1. Each contestant will make three landings, provided sufficient time is available. This will be determined by the Chief Judge prior to starting the event; otherwise, only two landings will be made.
2. Each airplane will make a normal take-off and climb at least 400 feet AGL before turning crosswind. The first turn should be delayed until proper spacing between airplanes can be obtained in the pattern. The second and third take-offs, if safety permits, will be a touch-and-go.
3. A rectangular pattern shall be flown with the downwind leg parallel to the active runway and as close as practical. Power shall be reduced to idle opposite the spot of intended landing, at an altitude not less than 800 feet AGL. From this point on, a rectangular pattern shall be flown at normal gliding speed for the airplane in use. The engine may be “cleared” in a normal manner once, while on base leg. At completion of the final turn, the contestant must be at an altitude of not less than 200 feet AGL.
4. Proper spacing in the pattern shall be maintained by each contestant. If proper spacing cannot be maintained, the overtaking airplane shall make a go-around. The contestant may be penalized if the reduced spacing leads to an unsafe, careless, or hazardous operation. No 360° turns or “S” turns shall be permitted on any leg of the pattern unless directed by ATC. Approved methods of attaining proper spacing are:
 - a) Extension of the upwind leg, or
 - b) Reduced speed on the downwind leg.
5. Flaps may be used in a normal manner on an airplane so equipped. They may be extended until the aircraft is 100 feet AGL on final approach and not retracted until after landing.
6. The landing event will not be conducted when the crosswind component exceeds 10 knots.

7. Scoring:

- a) All aircraft shall be judged on the basis of a constant angle of approach, that is, one in which no rapid or radical change in attitude of the aircraft is made.
- b) A target line will be marked on the runway, a safe distance from the approach end. A foul line will be placed 100 feet short of the target line and another foul line 200 feet beyond the target line.
- c) All landings within the foul lines will be scored at their actual distance in feet from the target line where both main landing gear touch down and remain firmly on the ground, except for a crosswind landing which shall be scored where the upwind wheel first touches down and remains firmly on the ground. The downwind wheel need NOT remain firmly on the ground and will NOT be scored.
- d) Touching short of the first foul line or landing beyond the second foul line shall result in a penalty of 400 points for that landing. The actual distance shall not be measured.
- e) If an airplane bounces short of the target line and touches down and stays at a point closer to the target line, the measurement will be made to the point of touchdown farthest from the target line. Likewise, if an airplane touches down beyond the target line and bounces, the measurement shall be made to the final point of touchdown farthest from the target line.
- f) Tailwheel airplanes may touchdown using either the three-point or wheel landing technique, as appropriate. Tricycle gear airplanes must touchdown in a normal attitude, on the main wheels.
- g) Improper traffic pattern, approach, flare or touchdown shall result in a penalty. The exact amount shall be determined by the judges.
- h) Use of high power settings on final approach and touchdown in extremely tail-low attitudes shall result in disqualification.
- i) Touchdown shall be scored where the main gear remains firmly on the ground.

- j) In the event that sufficient time is available for three landings, the best flying technique and lowest total distance, in feet, for the best two landings shall determine the winner.
- k) Addition of power after reduction to idle opposite the landing point (other than a clearing burst on base leg) shall result in a penalty of 200 points. Failure to add power when obviously necessary to execute a safe landing will result in disqualification.
- l) The following maneuvers may result in disqualification or a penalty of up to 400 points:
 - (1) Use of slips other than necessary for crosswind correction.
 - (2) Irregular pattern, "S" turns, fishtailing, etc.
 - (3) Excessively slow, fast, or long approach.
 - (4) Go-around due to poor planning or spacing by the contestant.
 - (5) Completion of final turn below 200 feet AGL.
 - (6) Floating in excess of five (5) seconds from the point at which the airplane is no longer in a descending flight path on final approach until touch down.
 - (7) Any action deemed by the judges to be careless or reckless, including excessive "jamming" of the airplane onto the ground or allowing the airplane to become dangerously low while on base leg or final approach.
 - (8) A disqualification should be given to an airplane that starts an excessively wide pattern that forces other airplanes to follow; causing the pattern to become elongated from abeam the point of touchdown to final.
 - (9) A following airplane that closes to a potentially unsafe interval with the preceding airplane and does not properly go-around.

G. Short-Field Approach and Landing

1. Each contestant will make three landings, provided sufficient time is available. This will be determined by the judges prior to the start of the event, otherwise only two landings will be made.
2. Each airplane will make a normal takeoff and climb at least 400 feet AGL before turning crosswind. The first turn should be delayed until proper spacing between airplanes can be obtained in the pattern. The second and third takeoffs, if safety permits, will be a touch-and-go.
3. A rectangular pattern shall be flown with the downwind leg parallel to the active runway and as close as practical. Power must be reduced opposite the spot of intended landing, at an altitude of not less than 800 feet AGL. From this point on, performance will be judged on the basis of an approach without having to reapply power to correct for obvious errors, planning a proper approach path, and the ability to attain and hold proper approach speeds in accordance with accepted short field technique. The contestant shall fly a rectangular pattern with the final turn completed at an altitude of not less than 200 feet AGL. Extremely elongated patterns and excessively long, low final approaches shall result in disqualification.
4. Proper spacing in the pattern shall be maintained by each contestant. If proper spacing cannot be maintained, the overtaking airplane shall make a go-around. The contestant may be penalized if the reduced spacing leads to an unsafe, careless, or hazardous operation. No 360° turns or "S" turns shall be permitted on any leg of the pattern unless directed by ATC. Approved methods of attaining proper spacing are:
 - a) Extension of the upwind leg, or
 - b) Reduced speed on the downwind leg
5. Maximum flaps will be used, consistent with existing wind conditions, on an airplane so equipped. They may be extended until the airplane is 100 feet AGL on final approach and not retracted until after landing.
6. The landing event will not be conducted when the crosswind component exceeds 10 knots.

7. Scoring:

- a) All aircraft shall be judged on the basis of a constant angle of approach, that is, one in which no rapid or radical change in attitude of the aircraft is made.
- b) A target line will be marked on the runway, a safe distance from the approach end. A foul line will be placed 100 feet short of the target line and another foul line 200 feet beyond the target line.
- c) All landings within the foul lines will be scored at their actual distance in feet from the target line where both main landing gear touch down and remain firmly on the ground, except for a crosswind landing which shall be scored where the upwind wheel first touches down and remains firmly on the ground. The downwind wheel need NOT remain firmly on the ground and will NOT be scored.
- d) Touching short of the first foul line or landing beyond the second foul line shall result in a penalty of 400 points for that landing. The actual distance shall not be measured.
- e) If an airplane bounces short of the target line and touches down and stays at a point closer to the target line, the measurement will be made to the point of touchdown farthest from the target line. Likewise, if an airplane touches down beyond the target line and bounces, the measurement shall be made to the final point of touchdown farthest from the target line.
- f) Tail wheel equipped airplanes must touch down in a three- point attitude. Tricycle gear airplanes must touch down in a full stall attitude at minimum control airspeed.
- g) Improper traffic pattern, approach, flare, and touchdown shall result in a penalty. The exact amount shall be determined by the judges.
- h) Use of high power settings on final approach and touchdown in extremely tail-low attitudes shall result in disqualification.
- i) Touchdown shall be scored where the main gear remains firmly on the ground.

- j) In the event that sufficient time is available for three landings, the best flying technique and lowest total distance, in feet, for the best two landings shall determine the winner.
- k) Addition of power after reduction opposite the landing point shall result in a penalty of 200 points. Failure to add power when obviously necessary to execute a safe landing will result in disqualification.
- l) The following maneuvers may result in disqualification or a penalty of up to 400 points:
 - (1) Use of slips other than necessary for crosswind correction.
 - (2) Irregular pattern, "S" turns, fishtailing, etc.
 - (3) Excessively slow, fast, or long approach.
 - (4) Go-around due to poor planning or spacing by the contestant.
 - (5) Completion of final turn below 200 feet AGL.
 - (6) Floating in excess of five (5) seconds from the point at which the airplane is no longer in a descending flight path on final approach until touch down.
 - (7) Any action deemed by the judges to be careless or reckless, including excessive "jamming" of the airplane onto the ground or allowing the airplane to become dangerously low while on base leg or final approach.
 - (8) A disqualification should be given to an airplane that starts an excessively wide pattern that forces other airplanes to follow; causing the pattern to become elongated from abeam the point of touchdown to final.
 - (9) A following airplane that closes to a potentially unsafe interval with the preceding airplane and does not properly go-around.

IV. Ground Event Judging Rules

A. Aircraft Preflight Inspection

1. A light, single engine general aviation airplane shall be “bugged” with at least 30 discrepancies. Discrepancies must be of such a nature that it is reasonable to expect them to be detected by a competent Private Pilot during the course of a normal preflight inspection. The discrepancy list will be reviewed by both the Preflight Judge and Chief Judge prior to the start of the event.
2. A discrepancy is defined as a condition of the airplane that makes it unairworthy, unsafe, or illegal for the intended flight. Prior known conditions of the airplane to be excluded from the event will be determined by the Preflight Judge.
3. If two airplanes are used, they must be identical.
4. If time and staffing allow, the airplane should be put on display prior to the event in its current condition (which for the purposes of the event will be considered airworthy) to allow contestants to become familiar with the airplane. If necessary, a “List of Exclusions” will be posted for all teams to see discrepancies that are not part of the event and will not count as an additional discrepancy, either for or against, a contestant.
5. The airplane must be hidden from view of spectators and other contestants after it has been “bugged” for the event.
6. Prior to the event, each contestant will be briefed on the event scenario from the Preflight Judge. The scenario must be the same for each team.
7. Contestants from the same team must immediately follow one another in the contest.
8. Contestants shall be given not more than 15 minutes to perform the inspection.

9. Scoring:

- a) Each contestant will earn one point for each discrepancy detected from the discrepancy list.
- b) Each contestant will lose one point for each invalid discrepancy detected (Examples: "Controls rigged backwards" when they are not, "Compass fluid drained" when the fluid is full).
- c) An additional point may be awarded for each discrepancy discovered by the contestant that is not listed on the discrepancy list or the List of Exclusions. Before the scores are officially submitted, the Preflight Judge will review with the Chief Judge that all such point adjustments are consistently applied between contestants.
- d) Preflight technique will be scored in two categories: Method and Thoroughness. A maximum of 10 technique points is possible, with 5 as the maximum for each category.
- e) In the event of a tie, the contestant taking the least amount of time to complete the inspection shall be declared the winner.
- f) Immediately after completing their individual preflight inspection, each contestant shall have an additional two (2) minutes to express comments and/or concerns to the Preflight Judge.
- g) High score wins.
- h) The following will result in disqualification:
 - (1) Rough handling of flight controls or other aircraft components
 - (2) Running or erratic movements during the preflight
 - (3) Slamming cabin or baggage doors

B. Aircraft Recognition

1. This contest shall consist of not less than thirty (30) images of aircraft.
2. Each image shall be shown for approximately three (3) seconds. An additional fifteen (15) seconds will be allowed for selecting the manufacturer, number designation, and official name on the answer sheet. Thirty (30) seconds will be allowed if the answers are to be handwritten.
3. This contest should be held at one time. If it is held more than once, all contestants from a particular team must participate during the same testing session.
4. Scoring:
 - a) One point will be awarded for each correct manufacturer, number designation, and official name noted. Some aircraft have no number designation or official name; in this case, the only proper answer would be either selected as “None” from the multiple choices, or on the write-in portion of the test, the student must write “None” – an answer left blank on the write-in portion, where “None” is the correct response, will not be scored as correct.
 - b) High score wins.
 - c) In the event of tie scores, the contestant with the highest number of correct answers on the write-in section of the test, shall be given the higher fractional score. If a tie remains after comparing the write-in section scores, the judge has the option to (on a sudden death scoring basis):
 - (1) Either re-score only the write-in answer portion of the test, or,
 - (2) Show additional slides to each contestant (individually) until each tie is broken.
 - d) “Janes, All the World’s Aircraft” shall be used as final authority for identifying aircraft.

C. Computer Accuracy

1. Each contestant will solve problems involving the use of a manually operated flight computer. A list of approved manual flight computers can be found in the NIFA Judges Manual and on the NIFA website.
2. The examination shall consist of multiple choice, true-false, or fill-in type problems. Complex problems should be broken down into several simpler problems. The answer sheet will include instructions and time allotted.
3. Only unaltered, approved, manually operated flight computers will be used.
4. This will be a timed event.
5. Scoring:
 - a) Contestants may solve the problems in any numerical sequence.
 - b) Answers will be equally weighted.
 - c) Final score shall be based on the total number of correct answers. High score wins.
 - d) If a tie exists, the tie will be broken by the contestant with the shortest completion time.

D. Ground Trainer

1. This event is designed to the contestant's ability to fly a specified pattern in a flight training device under instrument conditions. The parameters of the pattern to be flown will use reasonably expected performance characteristics of an average general aviation aircraft. The pattern shall be distributed to all teams at the General Contestant Briefing. Contestants may, at their own discretion, add individual markings or notations to the copy of the pattern provided by the judge.
2. Permitted equipment:
 - a) A copy of the pattern furnished by the judge will be the only copy allowed in the flight training device.
 - b) Contestants may bring a timing device with them. This timing device must not be programmable or emit any signals until the end of the pattern. This timing device must not have internet connectivity.
 - c) No other devices may be used by the contestant during the event.
3. This will be a timed event.
4. Scoring:
 - a) A computerized scoring system will use the following default parameter weights:

Turn Rate	25 points per degree (°)/second
Climb/Descent Rate	2 points per 100 FPM
Heading	1 point per degree (°)
Altitude	1 point per 10 feet
Airspeed	1 point per knot
Note - Standard leg transition time of 2 seconds (no penalty points)	

Lowest total wins. If a device or scoring system is not able to use these defaults, the value that will be scored must be posted for all schools to see prior to scheduled practice.

- b) If manual scoring is required, it will be based on a total of 600 points. Points will be deducted as follows:
- (1) One point for each second of error in excess of three (3) seconds per leg. If the contestant does not deviate by more than 3 seconds, no points will be deducted. Therefore, an error of 7 seconds results in a deduction of 7 points while an error of 3 seconds causes no deduction.
 - (2) One point for each 10 feet of total altitude error on each leg if the contestant deviates from their assigned altitude by more than 30 feet. If the contestant does not deviate by more than 30 feet, no points will be deducted. Therefore, an error of 100 feet results in a deduction of 10 points while an error of 30 feet causes no deduction.
 - (3) Errors in airspeed in excess of three (3) miles per hour or three (3) nautical miles per hour (knots), depending on the device configuration, will be scored on the basis of one point deducted for each mile per hour or knot of total error. If the contestant does not deviate by more than 3 miles per hour or knots, no points will be deducted. Therefore, an error of 8 miles per hour or knots results in a deduction of 8 points while an error of 3 miles per hour or knots causes no deduction.
 - (4) Failure to turn in the proper direction will result in a 50 point penalty.
 - (5) Poor bank control will result in a 15 point penalty.
 - (6) Points will be deducted for poor coordination on the basis of 25 points for each ball width of the ball beyond the cage.
- c) Stalling or deviating from the assigned altitude by more than 500 feet will result in disqualification.
- d) Rough handling - causing any control to hit limit stops - will result in a disqualification.
- e) In the event of a tie, the judge shall designate a pattern to be flown in a run-off contest.

E. Simulated Comprehensive Aircraft Navigation (SCAN)

1. Each contestant will be given identical packets which will include:
 - a) A list of approximately forty (40) questions; all of which are concerning one particular hypothetical flight from a given point of departure to one or more points of destination, and return to point of departure. These questions are multiple choice, true-false, or fill-in and are divided into two parts, which are:
 - (1) Preflight planning - which should include questions concerning: FARs, weight and balance, fuel consumption, route planning, weather, and all information required for filing flight plans.
 - (2) Enroute - which should include questions related to chart interpretation, FARs, weather, fuel consumption, airspeed, groundspeed, and other items of concern which could be encountered on an actual flight.
 - b) Navigational charts to cover route of flight. (Note: a section, to cover flight, may be cut from a chart and copied to reduce the expense of supplying a chart to each contestant.)
 - c) Information, or copies of graphic displays, should be supplied to provide information concerning airspace areas, etc., which would be encountered on a proposed flight.
 - d) Necessary information about the aircraft to be used for the flight which could include:
 - (1) Weight and balance information
 - (2) Operational data of aircraft
 - (3) Other information from POH (Pilot's Operating Handbook) which would be needed.
 - e) Data page - This should include all information a pilot would need to solve problems given in the questions such as route information, conditions of flight, airplane performance, and flight altitudes.
 - f) Answer sheet - Includes instructions and time allotted

2. Equipment which should be brought by the contestants may include any of the following: non-programmable flight computer, plotter, pen, and pencil. Basic, four-mathematical-function (addition, subtractions, multiplication, and division), non-programmable calculators will also be allowed. Electronic devices capable of storing and retrieving user inputted or commercially prepared text will not be allowed.
3. This will be a timed event.
4. Scoring:
 - a) Contestants may solve the problems in any numerical sequence.
 - b) Answers will be equally weighted.
 - c) Final score shall be based on the total number of correct answers. High score wins.
 - d) If a tie exists, the tie will be broken by the contestant with the shortest completion time.

V. Event Scoring Tables

Depending on the event, points may be awarded or penalties assessed. The values listed in the following tables are found in various NIFA documents. They have been listed here in order to provide a single source reference for coaches, contestants, and judges.

A. *Aircraft Preflight Inspection*

POINTS AWARDED	
A contestant will earn one point for each discrepancy detected from the discrepancy list.	1
An additional point may be awarded for each existing discrepancy discovered by the contestant that is not listed on the judge's discrepancy list.	1
One point will be subtracted for each call made that is not a valid discrepancy.	-1
Technique will be scored in categories: Method and Thoroughness. Each category has a maximum of 5 points. Point distribution is described on each score sheet.	up to 10
DISQUALIFICATIONS	
Rough handling of flight controls or other aircraft components	DQ
Running or erratic movements during the preflight	DQ
Slamming cabin or baggage doors	DQ

B. Aircraft Recognition

POINTS AWARDED	
One point will be awarded for each correct manufacturer, number designation, and official name noted. Some aircraft have no number designation or official name.	1
DISQUALIFICATIONS	

C. Computer Accuracy

POINTS AWARDED	
Answers will be equally weighted	1
DISQUALIFICATIONS	

D. CRM/LOFT

PENALTY ASSESSMENT	
Points will be deducted on the severity of the error	Variable
DISQUALIFICATIONS	
Request by contestant to terminate flight	DQ
Rough and abusive mishandling of the equipment	DQ

E. Ground Trainer

PENALTY ASSESSMENT	
<p>Errors in airspeed in excess of three (3) miles per hour or three (3) knots will be scored on the basis of one point deducted for each mile per hour or knot of total error. If the contestant does not deviate by more than 3 miles per hour or knots, no points will be deducted. Therefore, an error of 8 miles per hour results in a deduction of 8 points while an error of 3 miles per hour causes no deduction.</p>	<p>1 / mph or 1 / knot</p>
<p>Errors in heading in excess of three (3)° will be scored on the basis of one point deducted for each degree (°) of total error. If the contestant does not deviate by more than 3°, no points will be deducted. Therefore, an error of 9° results in a deduction of 9 points while an error of 3° causes no deduction.</p>	<p>1°</p>
<p>Failure to turn in the proper direction</p>	<p>50</p>
<p>One point for each 10 feet of total altitude error on each leg if the contestant deviates from their assigned altitude by more than 30 feet. If the contestant does not deviate by more than 30 feet, no points will be deducted. Therefore, an error of 100 feet results in a deduction of 10 points while an error of 30 feet causes no deduction.</p>	<p>1 / 10'</p>
<p>One point for each second of error in excess of three (3) seconds per leg. If the contestant does not deviate by more than 3 seconds, no points will be deducted. Therefore, an error of 7 seconds results in a deduction of 7 points while an error of 3 seconds causes no deduction.</p>	<p>1 / sec</p>
<p>Points will be deducted for poor coordination on the basis of 25 points for each ball width of the ball beyond the cage</p>	<p>25 / ball deviation</p>

Poor bank control	15
DISQUALIFICATIONS	
Rough handling - causing any control to hit limit stops	DQ
Stalling or deviating from the assigned altitude by more than 500 feet	DQ

F. IFR Precision Flight

PENALTY ASSESSMENT	
Up to 200 points maximum penalty based on the percentage error for incorrectly reading back an IFR clearance; i.e., 3 elements missed out of a 10 element clearance message, 30 percent error = 60 points penalty, and an additional penalty (50 points) each time the clearance is repeated at the request of the contestant.	Up to 200
Deviations of greater than ± 100 feet from assigned or published altitude (20 points per 100 feet) for more than 5 seconds	20
Failure to begin or end legs on time (20 points per 10 seconds) for more than 5 seconds All of the above penalty values double after passing the station outbound on approach	20
Failure to capture on track (except during approach) a prescribed radial of a VOR within $\pm 5^\circ$ of a prescribed bearing	50
Failure to execute turns at standard rate within a tolerance of ± 5 seconds for each 90° of turn for more than 5 seconds	20
Failure to maintain heading (when appropriate) within $\pm 10^\circ$ (20 points per 10°) for more than 5 seconds	20
Failure to maintain specified airspeed in climb, descent, or on approach (20 points per knot) for more than 5 seconds	20
Failure to make any required position reports during the check flight. This includes position reports required by FARs as well as those required by the judge. Required reporting points will be reviewed in the briefing	50

Failure to operate avionics equipment properly	50
DISQUALIFICATIONS	
Exceeding any clearance limit	DQ
Going below Minimum Descent Altitude (MDA), or failing to execute a missed approach at the defined missed approach point (MAP)	DQ
Operating more than 100 feet below any published Minimum Enroute Altitude (MEA), Minimum Sector Altitude (MSA), or approach segment altitude as appropriate to the leg being flown	DQ
Reckless, hazardous, or unsafe flying, including loss of positive airplane control or any other maneuver that causes the airplane to enter an unusual attitude.	DQ
Significant deviation from, or failure to execute, any portion of the assigned IFR flight pattern or ATC clearance (for example, incorrect frequency or OBS selection not caught within 30 seconds)	DQ

G. IFR Simulated Flight

PENALTY ASSESSMENT	
50% or less deviation from tolerances	None
51% to 100% deviation from tolerances	Minor
Additional penalties based on flight scenario	Variable
Failure to identify a navigation aid prior to use	Variable
Failure to make a requested radio report	Variable
Failure to make a required position report	Variable
Greater than 100% deviation from tolerances	Major
Significant departure from flight plan such as wrong turns, violating protected airspace, more than 500 ft. altitude error, descent below MDA or DA	Gross
DISQUALIFICATIONS	
Request by contestant to terminate flight	DQ
Rough and abusive mishandling of the equipment	DQ

H. Message Drop

PENALTY ASSESSMENT	
Streamer fails to deploy or separates from the message container prior to contact with the ground	300
DISQUALIFICATIONS	
Altitude less than 200 feet AGL during the drop run	DQ
Any action deemed by the judges to be careless or reckless	DQ
Failure to meet container / streamer specifications as listed in the rule book	DQ
Failure to drop two containers on drop run	DQ
Irregular pattern, "S" turns, slow flight, or diving during a run	DQ
Low or high airspeed or unusual attitude on drop run	DQ

I. Navigation

*Error = (estimated fuel – actual fuel)/estimated fuel

PENALTY ASSESSMENT	
Failure to completely fill out section A of “Contestant Planning Form” as instructed by the judging staff, either verbally or in writing	200
Deviation from altitude along each leg	Inactive
Deviation from average groundspeed along each leg	Variable
Deviation from course along each leg	Inactive
Estimated vs actual time enroute to each checkpoint	1 / sec
Estimated vs actual elapsed time from takeoff to time over last checkpoint	1 / sec
Excessive bank angles	Inactive
Failure to identify a symbol or geographic reference at checkpoints	20
Failure to fly directly over the checkpoint on appropriate heading. Between .76 NM and 5 NM inclusive, off course. In the event that a value other than a radius of .75 NM is used, that new specified distance plus .01 will be used in place of .76 NM	100 to 600 on a linear scale
Failure to identify a symbol or geographic reference between checkpoints	10
Incorrectly identify a symbol or geographic reference at or between checkpoints	200
Overestimated fuel used by more than 10 percent*	Penalty = 250 x (exp(error) – 1)

Under estimated fuel*	Penalty = 500 x (exp(error) - 1)
DISQUALIFICATIONS	
Altitude deviation of more than 500 feet except in the interest of flight safety	DQ
Circling or heading deviations in excess of 60° except as necessary to initially establish track on each leg and in the interest of flight safety	DQ
Exceeding estimated flight time on any leg by more than 5 minutes	DQ
Failure to plan at the chosen true airspeed	DQ
Incomplete chart or incomplete filling out of section B of “Contestant Planning Form” within the allotted time	DQ
Operating during cruise in other than a clean configuration; this includes slow flight or flight at minimum controllable airspeed	DQ
Operating the aircraft in an unsafe or hazardous manner, including exceeding a 45° bank angle	DQ
Tampering with GPS recording devices placed on the aircraft by judges	DQ
The use of a cell phone or texting device in the aircraft except in the case of an emergency	DQ
Incorrect plotting of course	DQ
Plotting checkpoint on sectional more than 2 NM from actual location	DQ
Use of a fuel dipsticks when refueling for scoring purposes	DQ
Unauthorized communications with other team members or contestants	DQ

J. Power-Off & Short-Field Approach and Landing

PENALTY ASSESSMENT	
LANDING ROLL	
Centerline deviation	25
TAKEOFF ROLL	
Improper flap setting	25
Poor crosswind technique	50
Poor spacing	50
Unnecessary delay	25
ROTATION AND LIFTOFF	
Erratic takeoff	25
CLIMBOUT	
Erratic pitch changes	25
Poor tracking	25
TURN TO CROSSWIND	
Erratic & uncoordinated flight	25
Excessive bank	25
Low turn to crosswind	400
Poor spacing (too close)	50
CROSSWIND	
Fishtailing	400
Irregular pattern	25
“S” turns	400
TURN TO DOWNWIND	

Constant turn to downwind	25
Erratic pitch changes	25
Excessive bank	25
Late turn to downwind	100
DOWNWIND	
Poor tracking	25
Wide downwind	200
POWER REDUCTION	
Addition of power after reduction	200
Erratic pitch changes	25
Fishtailing	400
Late	100
“S” turns	400
TURN TO BASE LEG	
Erratic pitch changes	25
Excessive bank	25
Skidding turn	25
BASE LEG	
Addition of power	200
Constant turn to final	25
Fishtailing	400
Irregular pattern	25
Late	400
“S” turns	400

FINAL TURN	
Diving for the line	400
Over / under shooting	50
Rapid / radical change in altitude	200
Skidding turn	25
FINAL APPROACH TO 100' AGL	
Excessive interval	50
Addition of power	200
Drift off centerline	25
Fishtailing	400
Insufficient flaps (Short-Field Landings ONLY)	100
Retraction of flaps	200
"S" turns	400
FINAL APPROACH BELOW 100' AGL	
Diving for the line	400
TOUCHDOWN	
Adding flaps below 100' AGL	400
Addition of power	200
Ballooning	50
Bouncing	100
Dragging	200
Erratic pitch changes	400
Excessive float	200
Go-around (own fault)	300

Improper crosswind technique	200
Power left on at touchdown	200
Landing off runway centerline	100
Jamming / hard landing	400
Landing in a crab	100
Not full stall landing (Short-Field Landings ONLY)	200
Three point touchdown	400
DISQUALIFICATIONS	
Aircraft too close to edge of runway on takeoff	DQ
Completion of turn below 200' AGL	DQ
Critical spacing	DQ
Dangerously low airspeed	DQ
Descent to a dangerously low altitude before adding power	DQ
Excessively hard landing	DQ
Excessively slow, fast, or long approach	DQ
Excessively wide pattern	DQ
Full flap takeoff	DQ
Hitting tail skid or tie down ring on landing	DQ
Nose wheel landing first	DQ
Other	DQ
Retracting flaps below 100' AGL	DQ
Slips to lose altitude	DQ
Turning too soon	DQ
Unauthorized 360° turn	DQ

Unsafe, careless, or hazardous operation	DQ
Unsafe interval without go-around	DQ
Wheel barrowing or proposing	DQ

K. Simulated Comprehensive Aircraft Navigation (SCAN)

POINTS AWARDED	
Answers will be equally weighted	1
DISQUALIFICATIONS	